

Revision Date: 11/18/2024

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Imasco Premix, Premix 1000, Artisan Premix, Fog Coat,

Artisan Fog Coat, Trowel Tex 1000, 16/20, 20/20 SmoothCoat

PRODUCT USE Portland cement-based plasters and coatings

COMPANY Imasco Minerals, Inc.

19287 98A Avenue

Surrey, BC

CANADA V4N 4C8

EMERGENCY 604-888-3848 (8am to 5pm weekdays)

TELEPHONE WEBSITE www.imascominerals.com

EMAIL Imasco@imascominerals.com

SECTION 2 HAZARD IDENTIFICATION

GHS-US CLASSIFICATION Acute Tox. 4 (Oral)

Skin Irrit. 2 Eye Damage 1 Carc. 1A

GHS-US LABELLING

Hazard Pictogram







Signal Word Danger

Hazard Statements H302 – Harmful if swallowed

H315 - Causes skin irritation

H318 – Causes serious eye damage

H350 - May cause cancer

Precautionary P201 – Obtain special instructions before use

Statements P202 – Do not handle until all safety precautions have been read and

understood

P261 – Avoid breathing dust

P264 – Wash thoroughly after handling

P271 – Use only outdoors or in a well-ventilated area

P280 – Wear protective gloves, protective clothing, eye protection



Revision Date: 11/18/2024

P302+P352 – If on skin: wash with plenty of water

P304+P341 – If inhaled: if breathing is difficult, remove victim to fresh air

and keep at rest in a position comfortable for breathing.

P305+P351+P338 – If in eyes: rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue

rinsing.

P308+P313 – If exposed or concerned, get medical advice/ attention P332+P313 – If skin irritation occurs, get medical advice/ attention P362 – Take off contaminated clothing and wash before reuse

P501 – Dispose of contents/ container in accordance with local/ regional/

national/international regulations

Hazards not otherwise classified None known

Unknown Acute Toxicity No data available

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS	CONCENTRATION (%w/w)			
Cement, Portland	65997-15-1	10 - 80			
Hydrated lime (Ca and Mg	39445-23-3	1-5			
hydroxides)					
Limestone	1317-65-3	10 - 80			
Crystalline Silica, quartz	14808-60-7	0.1 – 1.0			
(impurity in limestone, also part					
of cement)					

SECTION 4 FIRST AID MEASURES

GENERAL ADVICE If in doubt, or if symptoms persist, seek medical

attention.

EYE CONTACT Hold eyelids apart and flush eyes with a steady, gentle

stream of water for several minutes. Do not rub eyes.

Check for and remove contact lenses.

SKIN CONTACT Wash skin with mild soap and water for several minutes

INGESTION Dilute by drinking larger amounts of water. Give at least

two glasses of water to drink. Never give anything by

mouth to an unconscious person.



Revision Date: 11/18/2024

INHALATION Move person to fresh air. Check for clear airway,

breathing and pulse. Provide cardiopulmonary resuscitation (CPR) to anyone without a pulse or

respiration.

SECTION 5 FIREFIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA Water spray, carbon dioxide (CO2), dry

chemical, alcohol foam

UNSUITABLE EXTINGUISHING MEDIA None

SPECIAL EXPOSURE HAZARDS None

SPECIAL PROTECTIVE EQUIPMENT FOR

FIREFIGHTERS

Firefighters should wear protective clothing and use equipment that is suitable for the materials

involved in the surrounding fire.

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS Avoid contact with skin and eyes. Wear suitable

personal protective equipment. Avoid inhalation of

dust.

POTENTIAL ENVIRONEMNTAL EFFECTS Keep out of drains, sewers, ditches and waterways.

Minimize use of water to prevent environmental

contamination.

CLEANUP METHODS Handle as a nuisance dust and use respiratory

protection if dust becomes airborne. Shovel or scoop up spills. Dispose of in accordance with municipal,

state/ provincial and federal regulations.

SECTION 7 HANDLING AND STORAGE

HANDLING Do not get in eyes. Avoid contact with skin. Avoid dust

generation. Provide appropriate ventilation where dust is formed. In case of insufficient ventilation, wear suitable respiratory PPE. Wash hands thoroughly after handling.



Revision Date: 11/18/2024

STORAGE Store in a cool, dry area, out of direct sunlight. Protect bags from

weather and other damage. Do not store close to acids.

SECTION 8 EXPOSURE CONTROLS/ PERSONAL PROTECTION

EXPOSURE GUIDELINES

Engineering Controls Use mechanical ventilation (dilution and exhaust) to

control exposure.

Nuisance Particles/ Nuisance Dust ACGIH: 10 mg/ m³ (total dust), 3 mg/ m³ (respirable

fraction)

OSHA PEL: 15 mg/ m³ (total dust), 5 mg/ m³ (respirable

fraction)

PERSONAL PROTECTIVE EQUIPMENT

Eye Protection Use chemical splash goggles (ANSI 287.1 or equivalent)

Skin and Body ProtectionUse suitable protective clothing, gloves and footwear,

considering conditions and exposure

Hand Protection Use neoprene or rubber gloves

Respiratory Protection In case of exposure to high levels of airborne dust, wear a

respirator EN 149, P2 half mask. Use NIOSH/ MSHA approved respiratory protection equipment when airborne exposure exceeds established guidelines.

Hygiene Measures Wash thoroughly after handling. Have eye-washing

stations immediately available.

CONTROL PARAMETERS

Limestone (1317-65-3)

OSHA - TWA	15 mg/ m ³ (total dust) 5 mg/ m ³ (respirable fraction)
Canada - Alberta - OEL - TWA	10 mg/ m ³
Canada - British Columbia - OELs - STELs	20 mg/ m ³

Portland cement (65997-15-1)



Revision Date: 11/18/2024

OSHA - TWA	15 mg/ m³ (total dust)		
	5 mg/ m³ (respirable fraction)		
ACGIH – TWA	1 mg/ m³ (particulate matter containing no		
	asbestos and <1% crystalline silica, respirable		
	fraction)		

Calcium Hydroxide (1305-62-0)

OSHA - TWA	15 mg/ m³ (total dust)
	5 mg/ m³ (respirable fraction)
ACGIH – TWA	5 mg/ m ³

Crystalline Silica (14808-60-7)

OSHA - TWA	$(10 \text{ mg/m}^3)/(\% \text{SiO}_2 + 2) \text{ (respirable)}$
	$(30 \text{ mg/m}^3)/(\% \text{SiO}_2 + 2) \text{ (total dust)}$
NIOSH - TWAs	0.05 mg/ m ³
NIOSH - Potential Occupational Carcinogens	Potential occupational carcinogen
Canada - Alberta - OEL - TWA	0.025 mg/ m ³ TWA (respirable particulate)
Canada - British Columbia - OEL - Designated	ACGIH Category A2 - Suspected Human
Substances	Carcinogen
	IARC Category 1 - Human Carcinogen
Canada - Manitoba - OEL - TWA	0.025 mg/ m ³ TWA (respirable fraction)
Canada - Nova Scotia - OEL - TWA	0.025 mg/ m ³ TWA (respirable fraction)
Canada – Prince Edward Island - OEL - TWA	0.025 mg/ m ³ TWA (respirable fraction)
Mexico OEL Data - TWA	0.1 mg/ m ³ TWA (respirable fraction)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE White or grey
PHYSICAL STATE Solid, powder

ODOUR None

ODOUR THRESHOLD No information available

pH No information available

MELTING POINT No information available

FREEZING POINT No information available

FLASH POINT Non-combustible



Revision Date: 11/18/2024

EVAPORATION RATENo information available

FLAMMABILITY No information available

VAPOUR PRESSURE Not applicable

VAPOUR DENSITY Not applicable

WATER SOLUBILITY Slight

PARTITION COEFFICIENT (n-octanol/

water)

No information available

DECOMPOSITION TEMPERATURENo information available

OXIDIZING PROPERTIES No information available

SECTION 10 STABILITY AND REACTIVITY

STABILITY Stable under normal conditions

INCOMPATIBLE CONDITIONS See below

INCOMPATIBLE MATERIALS Acids, ammonium salts

HAZARDOUS DECOMPOSITION PRODUCTS

None known

SECTION 11 TOXICOLOGICAL INFORMATION

NON-CLASSIFIED HAZARDS

Chronic Toxicity No evidence of mutagenic or reproductive effects

Sensitization Does not cause sensitization

Eye Irritation Slightly irritating

Skin Irritation Dries skin and mucous membranes

Inhalation Contains <0.1% crystalline silica. Does not pose an

immediate hazard at this level. Take precautions against

exposure to high levels.

Carcinogenicity This product is not considered a carcinogen. This product

contains <0.1% crystalline silica, which is below the threshold for NTP, OSHA, Group 1 carcinogen by IARC, A2

by ACGIH



Revision Date: 11/18/2024

SECTION 12 ECOLOGICAL INFORMATION

POTENTIAL ENVIRONMENTAL EFFECTS Not considered to be harmful to aquatic life

ECOTOXICITY Not expected to be toxic to aquatic life

PERSISTENCE/ DEGRADABILITY Non-degradable

BIOACCUMULATIVE POTENTIAL None

MOBILITY Inert

OTHER ADVERSE EFFECTS None known

SECTION 13 DISPOSAL CONSIDERATIONS

WASTE TREATMENT OPTIONS Dispose of in accordance with local, state/

provincial and national regulations

SECTION 14 TRANSPORT INFORMATION

UN-NO. None

DOT Not regulated

TDG Not regulated

IMDG/ IMO Not regulated

ICAO Not regulated

IATA Not regulated

RID/ ADR Not regulated

SECTION 15 REGULATORY INFORMATION

Chemical	EC/	Australia	Canada	China	Japan	Korea	New	Philippines	USA	Taiwan
Name/ CAS	REACH	(AICS)	(DSL)	(IECSC)	(ENCS)	(KECL)	Zealand	(PICCS)	(TSCA)	(ECN)
							(NZIoC)			
Limestone/	215-279-6	Listed	Listed	Listed	(1)-	KE-	Listed	Listed	Listed	Listed
1317-65-3	*				122	21996				
Stearic Acid/ 57-	200-313-4	Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed
11-4										



Revision Date: 11/18/2024

Crystalline	238-8784	Listed	Listed	Listed	(1)-	KE-	Listed	Listed	Listed	Listed
Silica, as	*				548	29983				
quartz					(ENCS)					
impurity/										
14808-60-7										

Limestone (1317-65-3)

Regulation (EC) 1907/2006: *Exempt as a naturally-occurring substance

Stearic Acid (57-11-4)

Regulation (EC) 1907/2006: *Exempt as a naturally-occurring substance

Crystalline Silica, as quartz impurity (14808-60-7)

*Exempt. An impurity

USA

EPA

SARA Title III, Sections 301, 304, 311, 312, 313; CERCLA RQ: This product is not subject to these referenced SARA and CERCLA regulations.

Clean Water Act: The components of this product are not regulated under any of the following sections of the Clean Water Act (Section 307 Priority Pollutants or Section 311 Hazardous Substances). It would be regulated under Section 304 Water Quality Criteria Substances for suspended solids.

Clean Air Act: The components of this product are not regulated under any of the following sections [Section 112 Hazardous Air Pollutants, Section 112 Statutory Air Pollutants, Section 112 High-Risk Pollutants, Section 112(r) Accidental Release Prevention Substances or Section 602 Ozone Depleting Substances]. As a powder product, it is regulated under Section 109 Criteria Pollutant particulates.

States Right-to-Know (RTK)

California Proposition 65: This product is not known to conatin a chemical at a level that is expected to pose significant risk under anticipated use conditions.

CONEG: The heavy metals defined in CONEG are not intentionally introduced to this product and with respect to heavy metals, lead and arsenic, are less than 100 ppm.



Revision Date: 11/18/2024

Canada

WHMIS: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

SECTION 16 OTHER INFORMATION

TRAINING ADVICE

Personnel handling the substance(s) named in this SDS should be skilled and trained in areas associated with the key points indicated herein.

Personnel should have training and access to appropriate PPE for handling this product.

Personnel handling the substance(s) named in this SDS are responsible for ensuring that appropriate precautions are taken and for satisfying themselves that the data is suitable and sufficient for the intended purpose of the substance(s).

If additional information is needed, please contact the supplier or an OHS expert.

PREPARED BY: Technical Department, Imasco Minerals Inc.

DISCLAIMER: The information contained herein is based on data considered true and accurate to the best reasonably available information. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Imasco Minerals Inc. assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. This information is offered solely for informational purposes and is subject to your own independent investigation and verification.

END OF DATA SHEET